

BEDDINGTON FARMLANDS SYSTEMATIC PLANT LIST

Systematic list follows Collins Flower Guide, David Streeter 2009

List mainly based on botany surveys by Steve Gale (Plants Recorded at Beddington Farmlands 2010 and 2011) and also observations by Darryl Spittle (DS), Frank Prater (FP), Nick Gardner (NP), the London Natural History Society (Botany) and Peter Alfrey (PA). Thanks to Peter Wakeham for advice, comments and guidance with the systematic list.

Frequency terminology used in table:

Abundant
Common
Locally common
Local
Scattered
Isolated

Local status uses recording areas as shown below:



1. North of Bedzed (Horse Field and Biker's Field)
2. 100 acre
3. Wet grassland area
4. The lakes (North and South)
5. The mounds (North and South)
6. Pongo Park
7. Enclosed Beds
8. South-east Corner

Common Name	Scientific Name	Regional Conservation Status	Local Status (notes by Peter Wakeham)
Field Horsetail	<i>Equisetum arvense</i>		Locally common on mounds and stream south of mounds
Wall Rue	<i>Asplenium ruta-muraria</i>		Local on Bridges
Scots Pine	<i>Pinus sylvestris</i>		Isolated specimen on permitted path
Lawson's Cypress	<i>Chamaecyparis lawsoniana</i>		Isolated specimens
Yew	<i>Taxus baccata</i>		Isolated specimens south of lakes
Traveller's Joy	<i>Clematis vitalba</i>		Local- several areas
Creeping Buttercup	<i>Ranunculus reptans</i>		Abundant- mainly mounds
Greater Spearwort	<i>Ranunculus lingua</i>		Isolated- in stream south east corner
Lesser Celandine	<i>Ranunculus ficaria</i>		Common in meadow areas
Celery-leaved Buttercup	<i>Ranunculus scleratus</i>		Local
Oregan Grape	<i>Mahonia aquifolium</i>		Isolated along permitted footpath. Introduced elsewhere.
Common Poppy	<i>Papaver rhoeas</i>		Scattered in rough areas
Opium Poppy	<i>Papaver somniferum</i>		Local
Common Fumitory	<i>Fumaria officinalis</i>		Local
English Elm	<i>Ulmus procera</i>		Local on Bridges
Wych Elm	<i>Ulmus glabra</i>		Isolated on Mile Road Bridge
Hop	<i>Humulus lupulus</i>		Local
Common Nettle	<i>Urtica dioica</i>		Abundant
Small Nettle	<i>Urtica urens</i>		Common (Mainly 100 acre)
Pendunculate Oak	<i>Quercus robur</i>		Local
Sessile Oak	<i>Quercus petraea</i>		Local
Evergreen Oak	<i>Quercus ilex</i>		Local
Silver Birch	<i>Betula pendula</i>		Common in wooded areas
Alder	<i>Alnus glutinosa</i>		Common- mainly lakes and permitted footpath
Hornbeam	<i>Carpinus betulus</i>		Isolated- south east corner
Hazel	<i>Corylus avellana</i>		Common in wooded areas
Good King Henry	<i>Chenopodium bonus-henricus</i>		Surrey Rare Plant Register. Only a handful of sites in Surrey.
Oak-leaved Goosefoot	<i>Chenopodium ficifolium</i>		Reported by DS
Red Goosefoot	<i>Chenopodium rubrum</i>		Abundant (mainly in sludge beds- 100 acre and south east corner)
Many-seeded Goosefoot	<i>Chenopodium polyspermum</i>		Local

Maple-leaved Goosefoot	<i>Chenopodium hybridum</i>	Rare casual. Only one other Surrey record since 1994.	Isolated	
Fig-leaved Goosefoot	<i>Chenopodium ficifolium</i>		Local	
Fat-hen	<i>Chenopodium album</i>		Common/locally abundant	
Spear-leaved Orache	<i>Atriplex prostrate</i>		Local	
Common Orache	<i>Atriplex patula</i>		Local	
Common Chickweed	<i>Stellaria media</i>		Common	
Common Mouse-ear	<i>Cerastium fontanum</i>		Common	
Sticky Mouse-ear	<i>Cerastium glomeratum</i>		Local	
White Campion	<i>Silene latifolia</i>		Local	
Soapwort	<i>Saponaria officinalis</i>		Local- fields north of Bedzed	
Redshank	<i>Persicaria maculosa</i>		Common- mainly 100 acre and sludge beds	
Pale Persicaria	<i>Persicaria lapathifolia</i>		Local	
Knotgrass	<i>Polygonum aviculare</i>		Common (paths)	
Equal-leaved Knotgrass	<i>Polygonum arenastrum</i>		Local	
Japanese Knotweed	<i>Fallopia japonica</i>		Local- fields north of Bedzed	
Russian-vine	<i>Fallopia baldschuanica</i>		Local- Mile Road Bridge	
Common Sorrel	<i>Rumex acetosa</i>		Local	
Curled Dock	<i>Rumex crispus</i>		Common	
Wood Dock	<i>Rumex sanguineus</i>		Local	
Marsh Dock	<i>Rumex palustris</i>	Surrey Rare Plant Register. Very few Surrey sites, this is one of the known locations.	Isolated- mitigation scrape on 100 acre	
Broad-leaved Dock	<i>Rumex obtusifolius</i>		Local	
Rose –of –Sharon	<i>Hypericum calycinum</i>		Locally naturalised (Mile Road Bridge)	
Perforate St. John's-wort	<i>Hypericum perforatum</i>		Locally common- fields north of Bedzed	
Musk Mallow	<i>Malva moschata</i>		Isolated- near hide	

Common Mallow	<i>Malva sylvestris</i>		Abundant	
Lime	<i>Tilia x vulgaris</i>		Local	
Common Dog-violet	<i>Viola rivinana</i>		Common	
White Byrony	<i>Bryonia dioica</i>		Local- along permitted footpath	
Aspen	<i>Populus tremula</i>		Local	
Hybrid Black Poplar	<i>Populus x Canadensis</i>		Local	
Crack-willow	<i>Salix fragilis</i>		Local	
White Willow	<i>Salix alba</i>		Local	
Osier	<i>Salix viminalis</i>		Local	
Goat Willow	<i>Salix caprea</i>		Locally common	
Grey Willow (Common Sallow)	<i>Salix conerea</i>		Local	
Eared Willow	<i>Salix aurita</i>	(DS) Surrey Rare Plant Register. Only two other Surrey records since 1999.	Isolated	
Tall Rocket	<i>Sisymbrium altissimum</i>	Rare casual. Probably the only current site in Surrey.	Isolated	
Hedge Mustard	<i>Sisymbrium officinale</i>		Abundant	
Flixweed	<i>Descurania Sophia</i>	Rare casual. Known in the area.	Isolated	
Garlic Mustard	<i>Alliaria petiolata</i>		Locally common	
Thale Cress	<i>Arabidopsis thaliana</i>		Isolated	
Winter-cress	<i>Barbarea vulgaris</i>		Local	
Creeping Yellow-cress	<i>Rorippa sylvestris</i>		Isolated	
Water-cress	<i>Rorippa nasturtium-aquaticum</i>		Local in streams	
Horse Radish	<i>Armoracia rusticana</i>		Local e.g. 100 acre	
Honesty	<i>Lunaria annua</i>		Local	
Hairy Bitter-cress	<i>Cardamine hirsute</i>		Local	
Shepherd's Purse	<i>Capsella bursa-pastoris</i>		Abundant	
Dittander	<i>Lepidium latifolium</i>	Surrey Rare Plant Register.	Isolated	
Perennial Wall-rocket	<i>Diplotaxis tenuifolia</i>		Local	

Annual Wall-rocket	<i>Diplotaxis muralis</i>		Local	
Garden Cress	<i>Lepidium sativum</i>	Rare casual.	Local	
Hoary Cress	<i>Lepidium draba</i>		Locally common	
Swine-cress	<i>Coronopus squamatus</i>		Local	
Lesser Swine-cress	<i>Coronopus didymus</i>		Local	
Rape	<i>Brassica napus</i>		Local (mounds)	
Black Mustard	<i>Brassica nigra</i>		Locally common	
Charlock	<i>Sinapis arvensis</i>		Locally common	
Hoary Mustard	<i>Hirschfeldia incana</i>		Local	
Weld	<i>Reseda luteola</i>		Locally common	
Wild Mignonette	<i>Reseda lutea</i>		Local	
Cowslip	<i>Primula veris</i>		Isolated	
Biting Stonecrop	<i>Sedum acre</i>		Local- on 100 acre bridge	
Meadowsweet	<i>Filipendula ulmeria</i>		Local- stream south of mounds	
Dewberry	<i>Rubus caesius</i>		Local- Mile Road Bridge	
Bramble, Blackberry	<i>Rubus fruticosus</i> <i>agg.</i>		Abundant	
Creeping Cinquefoil	<i>Potentilla reptans</i>		Locally common	
Wild Strawberry	<i>Fragaria vesca</i>		Local- permitted footpath on 100 acre	
Wood Avens	<i>Geum urbanum</i>		Local	
Salad Burnet	<i>Sanguisorba minor</i> <i>sub sp. Minor</i>		Local	
Dog Rose	<i>Rosa canina</i>		Locally common- along permitted footpath	
Sweet-briar	<i>Rosa rubiginosa</i>		Local	
Blackthorn	<i>Prunus spinosa</i>		Locally common	
Wild Plum	<i>Prunus domestica</i>		Local	
Cherry Plum	<i>Prunus cerasifera</i>		Common	
Wild Cherry	<i>Prunus avium</i>		Local	
Apple	<i>Malus domestica</i>		Local	
Rowan	<i>Sorbus aucuparia</i>		Local	
Firethorn	<i>Pyracantha coccinea</i>		Isolated	
Hawthorn	<i>Cretagus laevigata</i>		Common	
Goat's Rue	<i>Galega officinalis</i>		Locally common on mounds	
Common Bird's-foot-trefoil	<i>Lotus corniculatus</i>		Locally common on mounds	
Tufted Vetch	<i>Vicia cracca</i>		Local on mounds	
Hairy Tare	<i>Vicia hirsute</i>		Local	
Common Vetch	<i>Vicia sativa</i>		Local on mounds	
Broad-leaved Everlasting-pea	<i>Lathyrus latifolius</i>		Local- fields north of Bedzed	
Meadow Vetchling	<i>Lathyrus pratensis</i>		Local on mounds	
Grass Vetchling	<i>Lathyrus nissolia</i>		Local on mounds	

Spiny Restharrow	<i>Ononis spinosa</i>	Surrey Rare Plant Register. Only two other known locations, Mitcham Common & Roundshaw Downs.	Isolated on mounds	
Tall Melilot	<i>Melilotus latissimus</i>		Common on mounds	
Ribbed Melilot	<i>Melilotus officinalis</i>		Local on mounds	
White Melilot	<i>Melilotus abus</i>		Local on mounds	
Lucerne, Alfalfa	<i>Medicago sativa</i>		Isolated on mounds and near hide	
Sickle Medick	<i>Medicago sativa falcata</i>	(DS) Surrey Rare Plant Register. Last recorded in Surrey in 1995.	Isolated	
Black Medick	<i>Medicago lupulina</i>		Abundant	
Spotted Medick	<i>Medicago Arabica</i>		Local	
White Clover	<i>Trifolium repens</i>		Common/Abundant	
Alsike Clover	<i>Trifolium hybridum</i>		Isolated	
Red Clover	<i>Trifolium pratense</i>		Common	
Hop Trefoil	<i>Trifolium campestre</i>		Common	
Lesser Trefoil	<i>Trifolium dubium</i>		Local	
Zigzag Clover	<i>Trifolium medium</i>	(DS) Surrey Rare Plant Register.	Isolated	
Gorse	<i>Ulex europaeus</i>		Isolated	
Broom	<i>Cytisus scoparius</i>		Introduced on mound	
Purple-loosestrife	<i>Lythrum salicaria</i>		Locally common e.g. lakes	
Sea Buckthorn	<i>Hippophae rhamnoides</i>	Usually planted, rare as an accidental introduction.	Isolated on 100 acre.	
Great Willowherb	<i>Epilobium hirsutum</i>		Abundant	
Hoary Willowherb	<i>Epilobium parviflorum</i>		Local	
Broad-leaved Willowherb	<i>Epilobium montanum</i>		DS Isolated	
Square-stalked Willowherb	<i>Epilobium tetragonum</i>		Isolated	
American Willowherb	<i>Epilobium ciliatum</i>		Local	
Marsh Willowherb	<i>Epilobium palustre</i>		Isolated	

Rosebay Willowherb	<i>Chamerion anhustifolium</i>		Locally common e.g. wet grassland area	
Common Evening Primrose	<i>Oenothera biennis</i>		Local	
Dogwood	<i>Cornus sanguine</i>		Local	
Spindle	<i>Euonymus europaeus</i>		Isolated e.g. Mile Road Bridge	
Holly	<i>Ilex aquifolium</i>		Local	
Annual Mercury	<i>Mercurialis annua</i>		Local	
Sun Spurge	<i>Euphorbia helioscopia</i>		Local	
Caper Spurge	<i>Euphorbia lathyris</i>		Local e.g. permitted footpath	
Petty Spurge	<i>Euphorbia peplus</i>		Common	
Flax	<i>Linum uristatissimum</i>		Isolated	
Fairy Flax	<i>Linum catharticum</i>		Isolated	
Horse Chestnut	<i>Aesculus hippocastanum</i>		Local, mainly boundaries	
Field Maple	<i>Acer campestre</i>		Local	
Sycamore	<i>Acer psedoplatanus</i>		Local	
Norway Maple	<i>Acer platanoides</i>		Isolated	
Round-leaved Crane's-bill	<i>Geranium rotundifolium</i>		Local	
Cut-leaved Crane's-bill	<i>Geranium dissectum</i>		Common	
Hedgerow Crane's-bill	<i>Geranium pyrenaicum</i>		Abundant	
Dove's-foot Crane's-bill	<i>Geranium molle</i>		Local	
Small-flowered Crane's-bill	<i>Geranium pusillum</i>		Local	
Herb-Robert	<i>Geranium robertianum</i>		Common	
Common Stork's-bill	<i>Erodium cicutarium</i>		Local e.g. 100 acre bridge	
Indian Balsam	<i>Impatiens glandulifera</i>		Local in streams south of mound	
Ivy	<i>Hedera helix</i>		Abundant	
Cow Parsley	<i>Anthriscus sylvestris</i>		Abundant	
Pignut	<i>Conopodium majus</i>	(DS) Not particularly rare, but a good find in this location.	Isolated	
Burnet-saxifrage	<i>Pimpinella saxifrage</i>	Not particularly rare, but a good find in	Isolated	

		this location.		
Hemlock	<i>Conium maculatum</i>		Abundant	
Fool's Water-cress	<i>Apium nodiflorum</i>		Common in stream south of mound	
Hogweed	<i>Heracleum sphondylium</i>		Abundant	
Giant Hogweed	<i>Heracleum mantegazzianum</i>		Local on enclosed beds	
Wild Carrot	<i>Daucus carota</i>		Common on mounds	
Common Centuary	<i>Centaureum erythraea</i>	Not particularly rare, but a good find in this location.	Local on mounds	
Bittersweet, Woody Nighshade	<i>Solanum dulcamara</i>		Local- footpaths	
Black Nightshade	<i>Solanum nigrum</i>		Local	
Field Bindweed	<i>Convolvulus arvensis</i>		Common	
Hedge Bindweed	<i>Calystegia sepium</i>		Common	
Large Bindweed	<i>Calystegia silvatica</i>		Local	
Bogbean	<i>Menyanthes trifoliata</i>		Isolated	
Russian Comfrey	<i>Symphytum x uplandicum</i>		Isolated	
White Comfrey	<i>Symphytum orientale</i>		Local	
Green Alkanet	<i>Pentaglottis sempervirens</i>		Locally common	
Field Forget-me-not	<i>Myosotis arvensis</i>		Common	
Wood Forget-me-not	<i>Myosotis sylvatica</i>		Local	
White Dead-nettle	<i>Lamium album</i>		Abundant	
Red Dead-nettle	<i>Lamium purpureum</i>		Abundant	
Black Horehound	<i>Ballota nigra</i>		Abundant	
Ground-ivy	<i>Glechoma hederacea</i>		Locally abundant e.g. field near hide	
Selfheal	<i>Prunella vulgaris</i>		Locally common	
Wild Majoram	<i>Origanum vulgare</i>		Isolated (Mounds)	
Gypsywort	<i>Lycopus europaeus</i>		Local on lakes	
Greater Plantain	<i>Plantago major</i>		Abundant	
Ribwort Plantain	<i>Plantago lanceolata</i>		Abundant	
Butterfly-bush	<i>Buddleja davidii</i>		Local	
Wild Privet	<i>Ligustrum vulgare</i>		Isolated, Mile Road Bridge	
Ash	<i>Fraxinus excelsior</i>		Local	
Water Figwort	<i>Scrophularia</i>		Isolated	

	<i>auriculata</i>			
Great Mullein	<i>Verbascum Thapsus</i>		Local	
Moth Mullein	<i>Verbascum blattaria</i>	Rare casual.	Isolated- Field north of Bedzed	
Foxglove	<i>Digitalis purpurea</i>		Local (introduced)	
Common Toadflax	<i>Linaria vulgaris</i>		Local (mainly Bedzed)	
Purple Toadflax	<i>Linaria purpurea</i>		Local (mainly Bedzed)	
Germander Speedwell	<i>Veronica chamaedrys</i>		Local	
Thyme-leaved Speedwell	<i>Veronica serpyllifolia</i>		Local	
Brooklime	<i>Veronica beccabunga</i>		Local (lakes)	
Blue Water-speedwell	<i>Veronica anagallis-aquatica</i>	Surrey Rare Plant Register.	Isolated	
Pink Water-speedwell	<i>Veronica catenata</i>	Surrey Rare Plant Register. Good population around the edge of Waddon Pond, otherwise scarce.	Isolated	
Wall Speedwell	<i>Veronica arvensis</i>		Local	
Grey Field-speedwell	<i>Veronica polita</i>		Local	
Common Field-speedwell	<i>Veronica persica</i>		Common	
Slender Speedwell	<i>Veronica filiformis</i>		Local	
Ivy-leaved Speedwell	<i>Veronica hederifolia</i>		Local	
Yellow-rattle	<i>Rhinanthus minor</i>		Locally common on mounds (introduced)	
Eyebright	<i>Euphrasia sp.</i>		Local	
Red Bartsia	<i>Odontites vernus</i>		Local (Mainly mounds)	
Field Madder	<i>Sherardia arvensis</i>		Local	
Lady's Bedstraw	<i>Galium verum</i>		Local (Mounds)	
Cleavers	<i>Galium aparine</i>		Abundant	
Elder	<i>Sambucus nigra</i>		Common	
Guelder Rose	<i>Viburnum opulus</i>		Local	
Snowberry	<i>Symphoricarpus albus</i>		Local	
Honeysuckle	<i>Lonicera periclymenum</i>		Local	
Red Velarian	<i>Valeriana dioica</i>		Local (Bridges)	

Wild Teasel	<i>Dipsacus fullonum</i>		Locally common	
Field Scabius	<i>Knautia arvensis</i>		Local	
Greater Burdock	<i>Arctium lappa</i>		Abundant	
Lesser Burdock	<i>Arctium minus</i>		Local	
Wetted Thistle	<i>Carduus crispus</i>		Abundant	
Spear Thistle	<i>Cirsium vulgare</i>		Abundant	
Creeping Thistle	<i>Cirsium arvense</i>		Abundant	
Greater Knapweed	<i>Centaurea scabiosa</i>		Local	
Cornflower	<i>Centaurea cyanus</i>	Surrey Rare Plant Register. Very rare as a native arable plant, but an increasingly common casual from wild flower mixes etc.	Local (introduced)	
Chicory	<i>Cichorium intybus</i>		Isolated (Mounds)	
Nipplewort	<i>Lapsana communis</i>		Common	
Cat's-ear	<i>Hypochaeris radicata</i>		Common	
Bristly Oxtongue	<i>Picris echioides</i>		Abundant	
Hawkweed Oxtongue	<i>Picris hieracioides</i>		DS Isolated	
Salsify	<i>Tragopogon porrifolius</i>		Local (Mounds)	
Goat's-beard	<i>Tragopogon pratensis</i>		Common	
Perennial Sow-thistle	<i>Sonchus arvensis</i>		Common	
Smooth Sow-thistle	<i>Sonchus oleraceus</i>		Common	
Prickly Sow-thistle	<i>Sonchus asper</i>		Abundant	
Prickly Lettuce	<i>Lactuca serriola</i>		Local	
Great Lettuce	<i>Lactuca virosa</i>		Local	
Smooth Hawk's-beard	<i>Crepis capillaris</i>		Local	
Beaked Hawk's-beard	<i>Crepis vesicaria</i>		Local	
Dandelions	<i>Taraxacum officinale</i> agg.		Abundant	
Hawkweeds	<i>Hieracium</i> agg.		Common	
Common Fleabane	<i>Pulicaria dysenterica</i>		Common	
Goldenrod	<i>Solidago virgaurea</i>	Surrey Rare Plant Register.The	Local	

		native Golden Rod, v. unusual in this location.		
Canadian Goldenrod	<i>Conyza Canadensis</i>		Isolated	
Canadian Fleabane	<i>Conyza canadensis</i>		Local	
Guernsey Fleabane	<i>Conyza sumatrensis</i>		Local	
Common Michaelmas-daisy	<i>Aster x salignus</i>		Locally common	
Daisy	<i>Bellis perennis</i>		Abundant	
Feverfew	<i>Tanacetum parthenium</i>		Local (introduced)	
Yarrow	<i>Achillea millefolium</i>		Abundant	
Corn Marigold	<i>Glebionis segetum</i>	Surrey Rare Plant Register. Very rare as a native arable plant, but an increasingly common casual from wild flower mixes etc.	Local (introduced)	
Oxeye Daisy	<i>Leucanthemum vulgare</i>		Locally common (introduced)	
Mugwort	<i>Artemisia vulgaris</i>		Abundant	
Pineappleweed	<i>Matricaria discoidea</i>		Common	
Scented Mayweed	<i>Tripleurospermum recutita</i>		Local	
Scentsless Mayweed	<i>Tripleurospermum inodorum</i>		Abundant	
Common Ragwort	<i>Senecio jacobaea</i>		Abundant	
Marsh Ragwort	<i>Senecio aquaticus</i>	Rare Plant Register.	Local	
Oxford Ragwort	<i>Senecio squalidus</i>		Local (Fields north of Bedzed)	
Groundsel	<i>Senecio vulgaris</i>		Local	
Colt's-foot	<i>Tussilago farfara</i>		Common	
Sunflower	<i>Helianthus tuberosus</i>		Isolated	
Trifid Bur-marigold	<i>Bidens tripartita</i>		Isolated (Lakes)	
Narrow-leaved Water-plantain	<i>Alisma lanceolatum</i>		Isolated (lakes)	
Lords-and-ladies	<i>Arum maculatum</i>		Isolated (permitted footpath near Beddington park)	

Common Duckweed	<i>Lemna minor</i>		Local	
Least Duckweed	<i>Lemna minuta</i>		Local	
Greater Duckweed	<i>Spirodela polyrhiza</i>		Local	
Toad Rush	<i>Juncus bufonius</i>		Local	
Jointed Rush	<i>Juncus articulatus</i>		Local	
Hard Rush	<i>Juncus inflexus</i>		Local	
Soft Rush	<i>Juncus effuses</i>		Local	
Compact Rush	<i>Juncus conglomeratus</i>		DS. Isolated	
Pendulous Sedge	<i>Carex pendula</i>		Locally common	
Broad-leaved Bamboo	<i>Sasa palmata</i>		Naturalised/invasive on Bedzed estate.	
Red Fescue	<i>Festuca rubra</i>		DS Isolated	
Perennial Rye Grass	<i>Lolium perenne</i>		Abundant	
Italian Rye Grass	<i>Lolium multiflorum</i>		Local	
Rat's-tail Fescue	<i>Vulpia myuros</i>		Local	
Annual Meadow Grass	<i>Poa annua</i>		Local	
Rough Meadow Grass	<i>Poa trivialis</i>		Common	
Narrow-leaved Meadow-grass	<i>Poa angustifolia</i>		Local	
Cock's Foot	<i>Dactylis glomerata</i>		Common	
Reed Sweet-grass	<i>Glyceria maxima</i>		Local	
Plicate Sweet Grass	<i>Glyceria declinata</i>		DS Isolated	
Small Sweet-grass	<i>Glyceria declinata</i>		Isolated	
False Oat-grass	<i>Arrhenatherum elatius</i>		Local	
Oat	<i>Avena sativa</i>		Local	
Yellow Oat-grass	<i>Trisetum flavescens</i>		Local	
Tufted Hairgrass	<i>Deschampsia cespitosa</i>		DS Isolated	
Yorkshire Fog	<i>Holcus lanatus</i>		Common	
Sweet Vernal Grass	<i>Anthoxanthum odoratum</i>		Local	
Reed Canary-grass	<i>Phalaris arundinacea</i>		Locally common (Stream south of mounds)	
Canary-grass	<i>Phalaris canariensis</i>		Local	
Common Bent	<i>Agrostis capillaris</i>		DS Isolated	
Black Bent	<i>Agrostis gigantean</i>		Local	
Creeping Bent	<i>Agrostis stolonifera</i>		Local	
Water Bent	<i>Polypogon viridis</i>		Local	
Meadow Foxtail	<i>Alopecurus pratensis</i>		Local	

Marsh Foxtail	<i>Alopecurus geniculatans</i>		Local	
Timothy	<i>Phleum pretense</i>		Common	
Smaller Cat's-tail	<i>Phleum bertolonii</i>		Local	
Soft-Brome	<i>Bromus hordeaceus</i>		Local	
Hairy-brome	<i>Bromopsis ramosa</i>		Common	
Barren Brome	<i>Anisantha sterilis</i>		Local	
California Brome	<i>Ceratochloa carinata</i>		Local	
Common Couch	<i>Elytrigia repens</i>		Local	
Bread Wheat	<i>Triticum aestivum</i>		Local (Introduced)	
Wall Barley	<i>Hordeum marinum</i>		Common	
Pampas Grass	<i>Cordylinus selloana</i>		DS Isolated	
Common Reed	<i>Phragmites australis</i>		Locally common	
Bulrush, Reedmace	<i>Typha latifolia</i>		Locally common	
Spanish Bluebell	<i>Hyacinthoides hispanica</i>		Local (Bridges)	
Grape-hyacinth	<i>Muscari armeniacum</i>		Isolated	
Ramsons	<i>Allium ursinum</i>		Local. On Flowers estate	
Daffodil	<i>Narcissus sp.</i>		Local (introduced)	
Asparagus	<i>Asparagus officinalis</i>		Isolated .One specimen on Horse Field.	
Crocus	<i>Crocus sp</i>		Isolated	
Yellow Iris	<i>Iris pseudacoms</i>		Local (Lakes)	
Black Bryony	<i>Tamus communis</i>		Local	
Pyramidal Orchid	<i>Anacamptis pyramidalis</i>		Local e.g. A single specimen in 2014 near hide in area managed by bird group.	
	TOTAL 329			

References:

Wakeham P. et al (in prep), draft Surrey Rare Plant Register